Cell & Tissue Volume 270 1992 Research

Editors

A. Oksche, Giessen (Coordinating Editor)

H. Altner, Regensburg

M.J. Cavey, Calgary

D.E. Kelly, Washington, D.C.

B. Lofts, Norwich

J.F. Morris, Oxford B. Scharrer, New York J.R. Sladek, North Chicago

N.J. Strausfeld, Tucson

L. Vollrath, Mainz

Cooperating Editors

A. Björklund, Lund

A.D. Blest, Canberra

R.A. Cloney, Seattle

K. Dorshkind, Riverside

A.C. Enders, Davis

J.B. Furness, Melbourne

H.G. Hartwig, Düsseldorf

N. Hirokawa, Tokyo

T. Hökfelt, Stockholm

A.F. Holstein, Hamburg

R.O. Kelley, Albuquerque

H.-W. Korf, Frankfurt/M.

B. Krisch, Kiel

N.J. Lane, Cambridge

R.R. Markwald, Milwaukee

D.R. Nässel, Stockholm

R. Pabst, Hannover

J.M. Polak, London

E. Reale, Hannover

J.-P. Revel, Pasadena

E.M. Rodríguez, Valdivia

B. Russel, Chicago

D.W. Scheuermann, Antwerp

H. Schmalbruch, Copenhagen

A. Tixier-Vidal, Paris

E.D. Wachsmuth, Basel

R.L. Wood, Los Angeles



Cell and Tissue Research

This journal was founded in 1924 as the Zeitschrift für Zellen- und Gewebelehre, from Vol. 2 (1925) it was published with the subtitle: Continuation of the Schultze-Waldever-Hertwig Archiv für mikroskopische Anatomie. Zeitschrift für Zellforschung und mikroskopische Anatomie (Vols. 1-20) (1934) as: Zeitschrift für wissenschaftliche Biologie (Abteilung B) edited by R. Goldschmidt, W. von Möllendorff, H. Bauer, J. Seiler. Vols. 2-28 (1938) edited by R. Goldschmidt and W. von Möllendorff, Vols. 29–33 (1944) as: Zeitschrift für Zellforschung und mikroskopische Anatomie, Abteilung A, Allgemeine Zellforschung und mikroskopische Anatomie, edited by W. von Möllendorff and J. Seiler, from Vol. 34 without the subtitle, Abteilung A, Allgemeine Zellforschung und mikroskopische Anatomie. From Vol. 34 (1949) edited by W. Bargmann, J. Seiler; from Vol. 53 (1960) edited by W. Bargmann, B. Scharrer, J. Seiler; from Vol. 83 (1967) edited by W. Bargmann, D.S. Farner, A. Oksche, B. Scharrer, J. Seiler; from Vol. 125 (1972) edited by W. Bargmann, D.S. Farner, F. Knowles, A. Oksche, B. Scharrer. Beginning with Vol. 125 (1972) with the subtitle Cell and Tissue Research, beginning with Vol. 148 (1974) under the title Cell and Tissue Research and the subtitle Continuation of Zeitschrift für Zellforschung und mikroskopische Anatomie and beginning with Vol. 235 (1984) under the title Cell and Tissue Research. Beginning with Vol. 164 (1975), edited by W. Bargmann, D.S. Farner, B. Lofts, A. Oksche, B. Scharrer and L. Vollrath; As of Vol. 193 (1978), edited by D.S. Farner, B. Lofts, A. Oksche (Coordinating Editor), B. Scharrer and L. Vollrath; from Vol. 227 (1981), edited by D.S. Farner, B. Lofts, J.F. Morris, A. Oksche (Coordinating Editor), B. Scharrer and L. Vollrath; from Vol. 228 (1983), edited by D.S. Farner, D.E. Kelly, B. Lofts, J.F. Morris, A. Oksche (Coordinating Editor), B. Scharrer and L. Vollrath. Beginning with Vol. 235 (1984), title changed to Cell and Tissue Research (no subtitle). As of Vol. 251 (1988), edited by H. Altner, D.S. Farner, B. Lofts, J.F. Morris, A. Oksche (Coordinating Editor), B. Scharrer, N.J. Strausfeld and L. Vollrath. Beginning with Vol. 252/3 (1988), M.J. Cavey became one of the editors. From Vol. 254/1 (1988), edited by H. Altner, M.J. Cavey, B. Lofts, J.F. Morris, A. Oksche (Coordinating Editor), B. Scharrer, N.J. Strausfeld and L. Vollrath. Starting with Vol. 268/1 (1992), J.R. Sladek became one of the editors.

Published: Vols. 1–33 (1924–1947) Julius Springer, Berlin, Vols. 34–35 (1948–1950) Springer, Wien, from Vol. 36 (1951) Springer, Berlin, Heidelberg.

Copyright

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the coauthors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA: Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0302-766X, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publish-er.

Printers: Universitätsdruckerei H. Stürtz AG, Würzburg

© Springer-Verlag Berlin · Heidelberg 1992 Springer-Verlag GmbH & Co. KG W-1000 Berlin 33, FRG Printed in Germany

Contents of Volume 270

Agulleiro B → García-Hernández MP

Akisaka T → Kogaya Y

Anadón R → Molist P

Andersson K, Chen D, Håkanson R, Mattsson H, Sundler F: Enterochromaffin-like cells in the rat stomach: effect of α-fluoromethylhistidine-evoked histamine depletion. A chemical, histochemical and electron-microscopic study 7–13

Andolina KL → Tidball JG Andreis PG → Rebuffat P

Araki S → Tanii I

Araki S → Toshimori K

Baccari GC, Vallarino M, Minucci S, Pestarino M, Di Matteo L: Immunocytochemical identification of some regulatory peptides (gastrin, gastrin-releasing peptide, neurotensin and vasoactive intestinal polypeptide) in the Harderian gland of the green frog, *Rana esculenta* 609–611

Badia E → Duchesne M-J

Baumann O: Submembrane cytoskeleton of pigmented glial cells, primary pigment cells and crystalline cone cells in the honeybee compound eye 353–363

Bausenwein B, Fischbach K-F: Activity labeling patterns in the medulla of *Drosophila melanogaster* caused by motion stimuli 25–35

Belloni AS → Rebuffat P

Bennett $RR \rightarrow White RH$

Bergmann P → Karmali R

Bertram JF, Soosaipillai MC, Ricardo SD, Ryan GB: Total numbers of glomeruli and individual glomerular cell types in the normal rat kidney 37–45

Bevins CL → Sadler KC

Beyer C, Eusterschulte B, Pilgrim C, Reisert I: Sex steroids do not alter sex differences in tyrosine hydroxylase activity of dopaminergic neurons in vitro 547–552

Blackburn MB → Kingan TG

Blankenship TN, Enders AC, King BF:
Distribution of laminin, type IV collagen, and fibronectin in the cell columns and trophoblastic shell of early macaque placentas 241–248

Burleigh DE → Furness JB

Callaini G, Riparbelli MG: Surface cap modifications in cold-treated *Drosophila* melanogaster embryos 553–558

Calligaro A → Casasco A

Carlberg M: Localization of dopamine in the freshwater hydrozoan *Hydra* attenuata 601–607

Carlson SD → Juang J-L

Casasco A, Calligaro A, Casasco M: Proliferative and functional stages of rat ameloblast differentiation as revealed by combined immunocytochemistry against enamel matrix proteins and bromodeoxyuridine 415–423

Casasco M → Casasco A

Chan KK → Stay B

Chen D → Andersson K

Cifuentes M, Fernández-LLebrez P, Pérez J, Pérez-Fígares JM, Rodríguez EM: Distribution of intraventricularly injected horseradish peroxidase in cerebrospinal fluid compartments of the rat spinal cord 485–494

Conde E → Martín-Lacave I

Cooke IM → Grau SM

Cooper TG → Raczek S

Corvilain J → Karmali R

Dabelsteen $E \rightarrow Ravn\ V$ Dantzer $V \rightarrow Mayhew\ TM$ Denzer $K \rightarrow Nehls\ V$ Desaki $J \rightarrow Matsuda\ S$ Di Matteo $L \rightarrow Baccari\ GC$

Donald JA, Vomachka AJ, Evans DH: Immunohistochemical localisation of natriuretic peptides in the brains and hearts of the spiny dogfish *Squalus acanthias* and the Atlantic hagfish *Myxine glutinosa* 535–545

Dores RM → Lopez KH Drenckhahn D → Nehls V

Duchesne M-J, Badia E: Immunohistochemical localization of the eosinophil major basic protein in the uterus horn and cervix of the rat at term and after parturition 79–86

Dwivedi S, Rao PDP: Cytoarchitectonic pattern of the hypothalamus in the turtle, Lissemys punctata granosa 173–188

Ebbesson SOE → Östholm T Edwall L → Fried K Ekström P → Östholm T Ekström P → Vecino E Elbrønd VS → Mayhew TM Elias PM → Menon GK Enders AC → Blankenship TN Eusterschulte B → Beyer C Evans DH → Donald JA

Farbman AI → Menco BPM
Feingold KR → Menon GK
Fernández-LLebrez P → Cifuentes M
Fischbach K-F → Bausenwein B
Fried K, Risling M, Edwall L, Olgart L:
Immuno-electron-microscopic localization of laminin and collagen type IV in normal and denervated tooth pulp of the cat 157–164
Fujita H → Matsuda S

Fujiwara T, Uehara Y: The cytoarchitecture of the medial layer in rat thoracic aorta: a scanning electron-microscopic study 165–172

Furness JB, Pompolo S, Shuttleworth CWR, Burleigh DE: Light- and electron-microscopic immunochemical analysis of nerve fibre types innervating the taenia of the guinea-pig caecum 125–137

Galera-Davidson H → Martín-Lacave I García-Hernández MP, Agulleiro B: Ontogeny of the endocrine pancreas in sea bass (*Dicentrarchus labrax*). An immunocytochemical study 339–352

Getchell ML → Krishna NSR Getchell TV → Krishna NSR Gibney JA → Malamed S Girardie J → Richard O

Gottardo G → Rebuffat P

Grau SM, Cooke IM: Peptidergic neurons of the crab, *Cardisoma carnifex*, in defined culture maintain characteristic morphologies under a variety of conditions 303–317

Gröschel-Stewart U → Paul ER

Haeften T van, Schooneveld H: Serotoninlike immunoreactivity in the ventral nerve cord of the Colorado potato beetle, *Leptinotarsa decemlineata*: Identification of five different neuron classes 405–413

Håkanson R → Andersson K

 Haller CJ: Evidence for the coexistence of serotonin and calcitonin gene-related peptide at the subcellular level in neuroepithelial bodies in the lung of a marsupial, *Isoodon macrourus* 199–203

Hanke J, Willig A, Jaros PP: Differential localization of leu-enkephalin and hyperglycemic hormone in axon terminals of the sinus gland of the crabs *Carcinus maenas*, *Eriocheir sinensis*, and *Uca pugilator* 521–526

Hendy GN → Karmali R

Herbert H: Evidence for projections from medullary nuclei onto serotonergic and dopaminergic neurons in the midbrain dorsal raphe nucleus of the rat 149–156

Hertle L \rightarrow Raczek S Hildebrand JG \rightarrow Rospars JP

Jap PHK → Ven PFM van der Jaros PP → Hanke J Jones RE → Lopez KH Juang J-L, Carlson SD: A blood-brain barrier without tight junctions in the fly central nervous system in the early post-

embryonic stage 95-103

Kaltenbach JC → Sadler KC
Karmali R, Schiffmann SN, Vanderwinden
J-M, Hendy GN, Nys-DeWolf N, Corvilain J, Bergmann P, Vanderhaeghen
J J: Expression of mRNA of parathyroid hormone-related peptide in fetal
bones of the rat 597–600

Kelly DE → Wood RL

Kim S → Kogaya Y

King BF → Blankenship TN
Kingan TG, Blackburn MB, Raina AK:
The distribution of pheromone-biosynthesis activation represented (BRAN)

thesis-activating neuropeptide (PBAN) immunoreactivity in the central nervous

system of the corn earworm moth, *Helicoverpa zea* 229–240

Kogaya Y, Kim S, Yoshida H, Shiga H, Akisaka T: True enamel matrix of the newt, *Triturus pyrrhogaster*, contains no sulfated glycoconjugates 249–256

Koseki T → Wood RL Kressin M → Salem AO

Krishna NSR, Getchell ML, Tate SS, Margolis FL, Getchell TV: Glutathione and γ-glutamyl transpeptidase are differentially distributed in the olfactory mucosa of rats 475–484

Lee SH → Menon GK

Lopez KH, Jones RE, Seufert DW, Rand MS, Dores RM: Catecholaminergic cells and fibers in the brain of the lizard *Anolis carolinensis* identified by traditional as well as whole-mount immunohistochemistry 319–337

Malamed S, Gibney JA, Ojeda SR: Ovarian innervation develops before initiation of folliculogenesis in the rat 87–93

Malendowicz LK → Rebuffat P

Mandel U → Ravn V

Margolis FL → Krishna NSR

Martinet L → Toumi FN

Martín-Lacave I, Conde E, Montero C, Galera-Davidson H: Quantitative changes in the frequency and distribution of the C-cell population in the rat thyroid gland with age 73–77

Matsuda S, Desaki J, Fujita H, Okumura N, Sakanaka M: Immuno-electron-microscopic localization of basic fibroblast growth factor in the dystrophic mdx mouse masseter muscle 569–576

Mattsson H → Andersson K

Mayhew TM, Elbrønd VS, Dantzer V, Skadhauge E, Møller O: Structural and enzymatic studies on the plasma membrane domains and sodium pump enzymes of absorptive epithelial cells in the avian lower intestine 577–585

Mazzocchi G → Rebuffat P
Meller K: Axoplasmic transport of horseradish peroxidase in single neurons of
the dorsal root ganglion studied in vitro

by microinjection 139-148

Menco BPM, Farbman AI: Ultrastructural evidence for multiple mucous domains in frog olfactory epithelium 47–56

Menon GK, Elias PM, Lee SH, Feingold KR: Localization of calcium in murine epidermis following disruption and repair of the permeability barrier 503–512

Meyer A → Paul ER

Mikkelsen HB, Rumessen JJ: Characterization of macrophage-like cells in the external layers of human small and large intestine 273–279

Minucci S → Baccari GC

Molist P, Rodríguez-Moldes I, Anadón R: Immunocytochemical and electron-microscopic study of the elasmobranch nucleus sacci vasculosi 395–404

Møller O → Mayhew TM Montero C → Martín-Lacave I Nehls V, Denzer K, Drenckhahn D: Pericyte involvement in capillary sprouting during angiogenesis in situ 469–474
Neri G → Rebuffat P
Northcutt RG → Wicht H

Nussdorfer GG → Rebuffat P Nys-DeWolf N → Karmali R

Östholm T, Ekström P, Ebbesson SOE:
Postsmolt change in numbers of acetylcholinesterase-positive cells in the pineal
organ of the Pacific coho salmon
281–286

Ojeda SR \rightarrow Malamed S Okumura N \rightarrow Matsuda S Olgart L \rightarrow Fried K Oura C \rightarrow Tanii I Oura C \rightarrow Toshimori K Ozaki M \rightarrow Steinbrecht RA

Paul ER, Vo TL, Meyer A, Gröschel-Stewart U: Embryonic chicken gizzard: immunolocalization of collagen and smooth muscle myosin 377–382

Pérez J \rightarrow Cifuentes M Pérez-Fígares JM \rightarrow Cifuentes M Pestarino M \rightarrow Baccari GC Peytevin J \rightarrow Toumi FN Pilgrim C \rightarrow Beyer C Pompolo S \rightarrow Furness JB

Raczek S, Yeung CH, Hertle L, Schulze H, Cooper TG: Appearance and endocytic activity of epithelial cells from human efferent ducts in primary monolayer culture 513–519

Raina AK → Kingan TG

Ramaekers FCS → Ven PFM van der

Rand MS → Lopez KH

Rao PDP → Dwivedi S

Ravn V, Teglbjærg CS, Mandel U, Dabelsteen E: The distribution of type-2 chain histo-blood group antigens in normal cycling human endometrium 425–433

Rebuffat P, Belloni AS, Rocco S, Andreis PG, Neri G, Malendowicz LK, Gottardo G, Mazzocchi G, Nussdorfer GG: The effects of ageing on the morphology and function of the zonae fasciculata and reticularis of the rat adrenal cortex 265–272

Reisert I → Beyer C

Ricardo SD → Bertram JF

Richard O, Girardie J: Immunochemical analysis of the distribution of the new ovary maturating neurohormone during development of the African locust, Locusta migratoria 587–596

Riparbelli MG → Callaini G Risling M → Fried K Rocco S → Rebuffat P

Rodríguez EM → Cifuentes M

Rodríguez-Moldes I → Molist P Rospars JP, Hildebrand JG: Anatomical identification of glomeruli in the antennal lobes of the male sphinx moth

Manduca sexta 205–227 Rumessen JJ → Mikkelsen HB Ryan GB → Bertram JF Sadler KC, Bevins CL, Kaltenbach JC: Localization of xenopsin and xenopsin precursor fragment immunoreactivities in the skin and gastrointestinal tract of *Xenopus laevis* 257–263

Sakanaka M → Matsuda S

Salem AO, Kressin M, Schnorr B: Ca²⁺-ATPase in mucous and oxyntico-peptic cells of the fowl proventriculus 495–501

Schaart $G \rightarrow Ven PFM$ van der Schiffmann $SN \rightarrow Karmali R$ Schnorr $B \rightarrow Salem AO$ Schooneveld $H \rightarrow Haeften T$ van Schulze $H \rightarrow Raczek S$ Sengers $RCA \rightarrow Ven PFM$ van der Seufert $DW \rightarrow Lopez KH$ Shiga $H \rightarrow Kogaya Y$

Shuttleworth CWR → Furness JB
Sierralta WD, Thole HH: Immunogold labelling of the cytoplasmic estradiol receptor in resting porcine endometrium
1-6

Skadhauge E → Mayhew TM Soosaipillai MC → Bertram JF Stadhouders AM → Ven PFM van der

Stay B, Chan KK, Woodhead AP: Allatostatin-immunoreactive neurons projecting to the corpora allata of adult *Diploptera punctata* 15–23

Steinbrecht RA, Ozaki M, Ziegelberger G: Immunocytochemical localization of pheromone-binding protein in moth antennae 287–302

Sundler F → Andersson K

Tam CC, Wong YC, Tang F: Ultrastructural and cytochemical studies of the effects of prolactin on the lateral prostate and the seminal vesicle of the castrated guinea pig 105–112

Tang F → Tam CC

Tanii I, Toshimori K, Araki S, Oura C: Extra-Golgi pathway of an acrosomal antigen during spermiogenesis in the rat 451–457

Tanii I → Toshimori K
Tate SS → Krishna NSR
Teglbjærg CS → Ravn V
Thole HH → Sierralta WD
Tidball JG, Andolina KL: Structure and
protein composition of sites of papillary
muscle attachment to chordae tendineae

in avian hearts 527–533
Toshimori K, Tanii I, Araki S, Oura C:
Characterization of the antigen recognized by a monoclonal antibody MN9:
unique transport pathway to the equatorial segment of sperm head during spermiogenesis 459–468

Toshimori K → Tanii I

Toumi FN, Martinet L, Peytevin J: Gonadotropin-releasing hormone neurons and pathways in the brain of the female mink (Mustela vison) 383–393

Uehara Y → Fujiwara T

Vallarino M → Baccari GC Vanderhaeghen J J → Karmali R Vanderwinden J-M → Karmali R Vecino E, Ekström P: Colocalization of neuropeptide Y (NPY)-like and FMR Famide-like immunoreactivities in the brain of the Atlantic salmon (*Salmo* salar) 435–442

Ven PFM van der, Schaart G, Jap PHK, Sengers RCA, Stadhouders AM, Ramaekers FCS: Differentiation of human skeletal muscle cells in culture: maturation as indicated by titin and desmin striation 189–198

Vo TL → Paul ER Vomachka AJ → Donald JA

Watson AHD: The distribution of dopamine-like immunoreactivity in the thoracic and abdominal ganglia of the locust (Schistocerca gregaria) 113–124 White RH, Bennett RR: Assembly of rhabdomeric membrane from smooth endoplasmic reticulum can be activated by light in chromophore-deprived photoreceptors of *Manduca sexta* 65–72

White RH, Bennett RR: Rhabdomeric membrane and smooth endoplasmic reticulum in photoreceptors of *Manduca sexta*: modulations associated with the diurnal light/dark cycle and effects of chromophore deprivation 57–64

Wicht H, Northcutt RG: FMR Famide-like immunoreactivity in the brain of the Pacific hagfish, *Eptatretus stouti* (Myxinoidea) 443–449

Willig A → Hanke J Wong YC → Tam CC

Wood RL, Koseki T, Kelly DE: Uveoscler-

al permeability to intracamerally infused ferritin in eyes of rabbits and monkeys 559–567

Woodhead AP → Stay B

Yeung CH → Raczek S Yoshida H → Kogaya Y

Ziegelberger G → Steinbrecht RA Zimmermann B: Antennal thermo- and hygrosensitive sensilla in *Antheraea pernyi* (Lepidoptera, Saturniidae): ultrastructure and immunohistochemical localization of Na⁺,K⁺-ATPase 365–376

Indexed in Current Contents

Subject index

Raczek S, et al 513-519 Endometrium Östholm T, et al 281-286 Absorption Ravn V, et al 425-433 Mayhew TM, et al 577-585 Brain natriuretic peptide Ciliary beating Sierralta WD, et al 1-6 Acetylcholinesterase Donald JA, et al 535-545 Raczek S, et al 513-519 Endoplasmic reticulum, smooth Östholm T, et al 281-286 Coexpression, - storage White RH, et al 57-64 Wicht H, et al 443-449 Vecino E, et al 435-442 Acrosomal protein White RH, et al 65-72 Cold exposure 5-Bromo – 2-deoxyuridine Tanii I, et al 451-457 Casasco A, et al 415-423 Callaini G, et al 553-558 Enkephalins Acrosome Collagen Hanke J, et al 521–526 Tanii I, et al 451-457 Enterocytes Toshimori K, et al 459-468 Blankenship TN, et al 241-Caecum Mayhew TM, et al 577-585 Acrosome development Furness JB, et al 125-137 248 Enterochromaffin-like cells Fried K, et al 157-164 Tanii I, et al 451-457 Calcitonin Paul ER, et al 377-382 Andersson K, et al 7-13 Actin filaments Martín-Lacave I, et al 73-77 Corpora allata Enteroendocrine cells Baumann O 353-363 Calcitonin cells (C-cells) Stav B, et al 15-23 Andersson K, et al 7-13 Martin-Lacave I, et al 73-77 α-Actinin Cryofixation Eosinophils Ven PFM van der, et al 189-Calcium ions Duchesne M-J, et al 79-86 Grau SM, et al 303-317 Steinbrecht RA, et al 287-198 Ependyma Adenosine triphosphatase Menon GK, et al 503-512 Cifuentes M, et al 485-494 Zimmermann B 365-376 Salem AO, et al 495–501 Salem AO, et al 495-501 Cyclic activity Adrenal cortex **Epidermis** Capillaries Ravn V, et al 425-433 Menon GK, et al 503-512 Rebuffat P, et al 265-272 Nehls V, et al 469–474 Capillary sprouting Cytoarchitectonic pattern, CNS **Epididymis** Aging Raczek S, et al 513-519 Rebuffat P, et al 265-272 Nehls V, et al 469-474 Dwivedi S, et al 173–188 Cytochemistry Epithelial cells Ameloblasts Catecholamines Raczek S, et al 513-519 Casasco A, et al 415-423 Beyer C, et al 547-552 Mayhew TM, et al 577-585 Salem AO, et al 495-501 Estradiol Carlberg M 601-607 Amelogenesis Beyer C, et al 547-552 Casasco A, et al 415-423 Lopez KH, et al 319-337 Cytoskeleton Catecholamine-synthesizing Baumann O 353-363 Sierralta WD, et al 1-6 Amines, primary Meller K 139-148 Carlberg M 601-607 Estrogen receptors enzymes Sierralta WD, et al 1-6 Tidball JG, et al 527-533 Angiogenesis Beyer C, et al 547-552 Extracellular matrix, - struc-Nehls V, et al 469-474 Cell culture Degeneration Antigen localization Raczek S, et al 513-519 Blankenship TN, et al 241-Ravn V, et al 425-433 Cell culture, CNS Matsuda S, et al 569-576 Beyer C, et al 547-552 Denervation 248 Antigens Ravn V, et al 425-433 Grau SM, et al 303-317 Fried K, et al 157-164 Eyes, compound Baumann O 353-363 Antimitotic drugs Meller K 139–148 Dental pulp Meller K 139-148 Cell differentiation Fried K, et al 157-164 Eyes, lateral Casasco A, et al 415-423 Antisteroids 2-Deoxyglucose Wood RL, et al 559-567 Beyer C, et al 547-552 Cell membrane; see also Plas-Bausenwein B, et al 25-35 Aorta malemma Fujiwara T, et al 165-172 White RH, et al 57-64 Nehls V, et al 469-474 Ferritin Development, ontogenetic Wood RL, et al 559-567 Atrial natriuretic peptides White RH, et al 65–72 Donald JA, et al 535-545 Beyer C, et al 547-552 Fibroblast growth factor Cell proliferation Autonomic control Callaini G, et al 553-558 Casasco A, et al 415-423 Matsuda S, et al 569-576 Casasco A, et al 415-423 Herbert H 149-156 Cell surface Fibronectin Kogaya Y, et al 249-256 Autonomic ganglia Mayhew TM, et al 577–585 Blankenship TN, et al 241-Furness JB, et al 125-137 Central canal Paul ER, et al 377–382 Östholm T, et al 281–286 Autonomic innervation Cifuentes M, et al 485–494 Filaments, 10-nm, intermediate DOPA Ven PFM van der, et al 189-Furness JB, et al 125-137 Central gray, mesencephalic, Axoplasmic transport periaqueductal Beyer C, et al 547-552 198 Kingan TG, et al 229-240 Herbert H 149-156 Carlberg M 601-607 α-Fluoromethylhistidine Meller K 139-148 Centrioles Dopamine Andersson K, et al 7-13 Beyer C, et al 547-552 Callaini G, et al 553-558 FMRF amide (molluscan car-Basal lamina, basement mem-Cerebrospinal fluid Carlberg M 601–607 dioexcitatory peptide), RF Herbert H 149-156 Cifuentes M, et al 485-494 brane amide Kogaya Y, et al 249-256 Watson AHD 113-124 Vecino E, et al 435-442 Cerebrospinal fluid compart-Blood-brain barrier Dorsal root ganglia Wicht H, et al 443-449 ments Meller K 139-148 Juang J-L, et al 95-103 Cifuentes M, et al 485-494 Follicle cells Bone Chemical coding Martín-Lacave I, et al 73-77 Karmali R, et al 597-600 Furness JB, et al 125-137 Enamel Folliculogenesis, ovary Kogaya Y, et al 249-256 Brain, invertebrate Chordae tendineae Malamed S, et al 87-93 Juang J-L, et al 95-103 Tidball JG, et al 527–533 Enamel organ Folliculogenesis, thyroid Richard O, et al 587-596 Casasco A, et al 415-423 Choroid, ocular Martín-Lacave I, et al 73-77 Wood RL, et al 559-567 Stay B, et al 15-23 Endocytosis Freeze-substitution Menco BPM, et al 47-56 Brain, vertebrate Raczek S, et al 513-519 Chromogranin A Donald JA, et al 535-545 Andersson K, et al 7-13 Endomembrane system Steinbrecht RA, et al 287-Lopez KH, et al 319-337 White RH, et al 57-64 Cilia 302 Toumi FN, et al 383–393 Menco BPM, et al 47-56 White RH, et al 65–72 Zimmermann B 365–376

Ganglia, invertebrate Watson AHD 113-124 Gastric endocrine cells, gastrointestinal hormones Sadler KC, et al 257-263 Gastric mucosa Andersson K, et al 7-13 Gastrin Baccari GC, et al 609-611 Gastrin-releasing peptide (GRP) Baccari GC, et al 609-611 Genetic regulation Ravn V, et al 425-433 Genitalia, female Duchesne M-J, et al 79-86 Genitalia, male Tam CC, et al 105-112 Tam CC, et al 105-112 Tanii I, et al 451-457 Glial cells (other than listed) Juang J-L, et al 95-103 Glia-like cells Baumann O 353-363 Glomerulus Bertram JF, et al 37-45 γ-Glutamyl transpeptidase Krishna NSR, et al 475-484 Glutathione Krishna NSR, et al 475-484 Glycoconjugates Kogaya Y, et al 249-256 Golgi complex Tanii I, et al 451-457 Gonadotropin-releasing hormone Toumi FN, et al 383-393 Gonadotropic neurohormone, insect Richard O, et al 587-596 Growth cones Grau SM, et al 303-317 Harderian gland Baccari GC, et al 609-611 Heart Donald JA, et al 535-545 Histamine Andersson K, et al 7-13 Histidine decarboxylase Andersson K, et al 7-13 Hormonal regulation Ravn V, et al 425-433 Horseradish peroxidase, cellular transport, labeling Cifuentes M. et al 485-494 Meller K 139-148 Raczek S, et al 513-519 Horseradish-peroxidase (HRP) technique, axonal transport, tracing Meller K 139-148 Hybridization, in situ Karmali R, et al 597-600 Hygroreceptors Zimmermann B 365-376 Hypothalamus Dwivedi S, et al 173-188 Molist P, et al 395-404 Wicht H, et al 443-449 Immunocytochemistry

Baccari GC, et al 609-611

Beyer C, et al 547-552 Carlberg M 601-607 Fried K, et al 157-164 Haeften T van, et al 405-413 Hernández MPG, et al 339-352 Kingan TG, et al 229-240 Meller K 139-148 Menco BPM, et al 47-56 Molist P, et al 395-404 Nehls V, et al 469-474 Steinbrecht RA, et al 287-302 Tanii I, et al 451-457 Toshimori K, et al 459-468 Toumi FN, et al 383-393 Vecino E, et al 435-442 Watson AHD 113-124 Immunogold technique Steinbrecht RA, et al 287-302 Immunohistochemistry Donald JA, et al 535-545 Duchesne M-J. et al 79-86 Lopez KH, et al 319-337 Malamed S, et al 87-93 Mikkelsen HB, et al 273-279 Ravn V, et al 425-433 Richard O, et al 587-596 Sadler KC, et al 257-263 Sierralta WD, et al 1-6 Stay B, et al 15-23 Zimmermann B 365-376 Infundibulum Dwivedi S, et al 173-188 Interneurons Haeften T van, et al 405-413 Intestine, large Mikkelsen HB, et al 273-279 Intestine, small Mikkelsen HB, et al 273-279 Ionic regulation Zimmermann B 365-376 Ion pumps Mayhew TM, et al 577-585 Zimmermann B 365-376 Zimmermann B 365-376 Bertram JF, et al 37-45

Laminin Blankenship TN, et al 241-Fried K, et al 157-164 Lanthanum Juang J-L, et al 95-103 Lectins, lectin-binding properties, - cytochemistry Herbert H 149-156 Locus coeruleus Vecino E, et al 435–442 Haller CJ 199-203

Macrophages Mikkelsen HB, et al 273-279 Mast cells Andersson K, et al 7-13 Medulla oblongata

Herbert H 149-156

Mesencephalon Herbert H 149-156 Microfilaments Callaini G, et al 553-558 Microinjection Meller K 139-148 Microtubules Baumann O 353-363 Callaini G, et al 553-558 Microvilli Menco BPM, et al 47-56 Mitochondria Mayhew TM, et al 577-585 Monoclonal antibodies Toshimori K, et al 459-468 Monolayer cultures Raczek S, et al 513-519 Motility Bausenwein B, et al 25-35 Motion detection Bausenwein B, et al 25-35 mRNA Karmali R, et al 597-600 Mucous cells Salem AO, et al 495-501 Mucus Menco BPM, et al 47-56 Muscle, cardiac Tidball JG, et al 527–533 Muscle, smooth Fujiwara T, et al 165-172 Mikkelsen HB, et al 273-279 Muscle, striated, skeletal Matsuda S, et al 569-576 Tidball JG, et al 527-533 Ven PFM van der, et al 189-198 Muscular dystrophy Matsuda S, et al 569-576 Myofibrillogenesis Ven PFM van der, et al 189-Myosin Paul ER, et al 377-382 Ven PFM van der, et al 189-Myotendinous junctions Tidball JG, et al 527-533

Na+ Mayhew TM, et al 577-585 Na⁺, K⁺-ATPase Mayhew TM, et al 577-585 Nebulin Ven PFM van der, et al 189-198 Nerves, regeneration Fried K, et al 157-164 Nervous system, insect Haeften T van, et al 405-413 Rospars JP, et al 205-227 Watson AHD 113-124 Neuroendocrine regulation Stay B, et al 15-23 Neuroepithelial bodies Haller CJ 199-203 Neurohemal organs Hanke J, et al 521-526 Neurohormones

Kingan TG, et al 229-240

Neuromuscular synapses, vertebrate Matsuda S, et al 569-576 Neurons Meller K 139-148 Neuropeptide coexistence, colocalization Furness JB, et al 125-137 Haller CJ 199-203 Neuropeptide immunocytochemistry Furness JB, et al 125-137 Haller CJ 199-203 Hanke J. et al 521-526 Kingan TG, et al 229-240 Vecino E, et al 435–442 Neuropeptide Y Vecino E, et al 435-442 Neurosecretion Grau SM. et al 303-317 Neurosecretory neurons Dwivedi S, et al 173-188 Neurotensin Baccari GC, et al 609-611 Nitric oxide synthase Furness JB, et al 125-137 Nuclear areas, CNS Dwivedi S, et al 173-188 Nucleus tractus solitarii Herbert H 149-156 Odontoblasts

Fried K, et al 157-164 Olfactory epithelium Krishna NSR, et al 475-484 Olfactory system Rospars JP, et al 205-227 Steinbrecht RA, et al 287-302 Ossification Karmali R, et al 597-600 Osteocalcin Karmali R, et al 597-600 Ovariectomy Sierralta WD, et al 1-6 Ovary Malamed S, et al 87-93 Richard O, et al 587-596 Oxvntic cells Salem AO, et al 495-501 Oxyntico-peptic cells, avian Salem AO, et al 495-501

Pancreas, endocrine Hernández MPG, et al 339-352 Parathormone Karmali R, et al 597-600 Pars intercerebralis Richard O, et al 587-596 Parturition Duchesne M-J. et al 79-86 Parvocellular nuclei Dwivedi S, et al 173-188 Peptide hormones Hernández MPG, et al 339-352 Peptidergic neurosecretion Grau SM, et al 303-317 Pericytes Nehls V, et al 469-474

Periosteum Karmali R, et al 597-600 Perireceptor events Krishna NSR, et al 475-484 Permeability Menon GK, et al 503-512 Pheromone-biosynthesis-activating neuropeptide Kingan TG, et al 229-240 Pheromones Kingan TG, et al 229-240 Photoreceptor cells White RH, et al 57-64 White RH, et al 65-72 Pigment cells Baumann O 353-363 Pineal organ, – complex Östholm T, et al 281–286 Blankenship TN, et al 241-248 Plasmalemma; see also Cell membrane Mayhew TM, et al 577-585 Potassium ions Grau SM, et al 303-317 Potassium stimulation Grau SM, et al 303-317 Prolactin (LTH) Tam CC, et al 105-112 Tam CC, et al 105-112 Prostate gland Tam CC, et al 105-112 Tam CC, et al 105-112 Proteins Duchesne M-J, et al 79-86 Proventriculus Salem AO, et al 495-501

Quantitative methods, structural Bertram JF, et al 37–45 Mayhew TM, et al 577–585

Raphe nuclei Herbert H 149–156 Regeneration Matsuda S, et al 569-576 Regeneration, CNS Grau SM, et al 303-317 Reproductive system, female Ravn V, et al 425-433 Reproductive system, male Raczek S, et al 513-519 Resistance, electrical Raczek S, et al 513-519 Respiratory epithelium Krishna NSR, et al 475-484 White RH, et al 57-64 White RH, et al 65-72 Rhabdom White RH, et al 57-64 White RH, et al 65-72 Rhabdomeres White RH, et al 57-64

White RH, et al 65-72

Saccus vasculosus Molist P, et al 395-404 Seasonal changes Toumi FN, et al 383–393 Secretion Salem AO, et al 495-501 Secretory granules Menco BPM, et al 47-56 Seminal vesicle Tam CC, et al 105-112 Tam CC, et al 105-112 Sensilla Steinbrecht RA, et al 287-Zimmermann B 365-376 Sensomotor system Wicht H, et al 443-449 Sensory transduction Zimmermann B 365–376 Septate junction Juang J-L, et al 95-103

Serotonin (5-HT)

Haeften T van, et al 405-413 Herbert H 149-156 Sexual dimorphism Beyer C, et al 547-552 Menon GK, et al 503-512 Sadler KC, et al 257-263 Spectrin Baumann O 353-363 Spermatozoa Toshimori K, et al 459-468 Spermiogenesis Tanii I, et al 451-457 Toshimori K, et al 459-468 Stomach Andersson K, et al 7-13 Structural patterns Fujiwara T, et al 165-172

Teeth Casasco A, et al 415-423 Fried K, et al 157-164 Kogaya Y, et al 249-256 Telencephalon Vecino E, et al 435-442 Raczek S, et al 513-519 Testosterone Beyer C, et al 547-552 Thalamus Vecino E, et al 435-442 Thermoreceptors Zimmermann B 365–376 Thiamine pyrophosphatase Tam CC, et al 105-112 Tam CC, et al 105-112 Thiols Krishna NSR, et al 475-484 Thyroid C-cells Martín-Lacave I, et al 73-77 Thyroid gland Martin-Lacave I, et al 73-77 Tight junctions

Juang J-L, et al 95-103

Titin

Ven PFM van der, et al 189-198 Tractus solitarius Herbert H 149-156 Transformation Östholm T, et al 281–286 Transport, axonal Kingan TG, et al 229-240 Trophoblastic cells Blankenship TN, et al 241-248 Tumor Nehls V, et al 469-474 Tyrosine hydroxylase Beyer C, et al 547-552 Herbert H 149-156 Lopez KH, et al 319-337 Malamed S, et al 87-93

Ultrahistochemistry
Mikkelsen HB, et al 273–279
Sierralta WD, et al 1–6
Steinbrecht RA, et al 287–302
Tanii I, et al 451–457
Toshimori K, et al 459–468
Uterus
Duchesne M-J, et al 79–86
Ravn V, et al 425–433
Uvea
Wood RL, et al 559–567

Vasoactive intestinal polypeptide (VIP) Baccari GC, et al 609–611 Visual system Bausenwein B, et al 25–35

Xenopsin
Sadler KC, et al 257–263
Xenopsin precursor fragment
Sadler KC, et al 257–263
X-organ
Grau SM, et al 303–317

Advice to authors

Your illustrations will be shown to best advantage if you follow the brief set of instructions below. Please read them carefully. Thank you.

The Publisher

Preparation of line drawings

Drawings should be in the desired final size and executed in indelible black ink.

Important points to note are: the thickness of lines, size of inscriptions, size of measuring points, and adequate spacing of shaded and dotted areas

Words should be in the proper upper- and lowercase letters and not all in CAPITAL letters.


Following are the optimal sizes after reduction:

Capital letters and numbers: 2 mm Lowercase letters: 1.6 mm


ABCDEFGHIJKLMNOPQRSTUVWXY7 aabcdefghijklmnopqrstuvwxyz 1234567890 | .5° | II IV VIII IX ∞ % \approx [(=-+x÷!?:",)] (A) (B) (a) (b)


ABCDEFGHIJKLMNOPQRSTUVWXYZ aabcdefghijklmnopqrstuvwxyz






samples 1-5 show the original size and reduction \times 50%







Selection and preparation of illustration material for halftones (photographs, micrographs, X-ray films, instrument traces etc.)


Photographs should be sharp, well-contrasted glossy prints of the original negative, trimmed at right angles. Halftone illustrations should fit the format of the printed page (print area) so that 1:1 reproduction is possible. If reduction is absolutely necessary, please state the desired scale. Mark or crop marginal portions that are not required (at right angles, please).

Illustrations that are to appear together should be mounted as plates and, together with the legends, should not exceed the print area. Illustrations must be mounted on paper-thin flexible material. Do not use thick cardboard.

Please indicate the significant parts of X-rays on a copy or overlay.

For lettering, marks and scales, use rub-on labelling like Letraset, Mecanorma, or Artist-Aid. **Inscriptions** should be a **maximum of 3 mm** high. Please protect them with an overlay.

Unless they interfere with important information in the illustration, numbers or lowercase letters that denote the sequence of illustrations in plates should be inserted in the lower left-hand corner of the illustrations. In illustrations that provide poor contrast for labelling, i.e. diffuse or mottled backgrounds, white letters or numbers are preferable. If necessary, use a white round background with black lettering (Mecanorma or Artist-Aid).



Illustrations reprinted with permission

Cell & Tissue Research

Instructions for authors

1. Prerequisites for publication

Authorship. The Editors of *Cell and Tissue Research* subscribe to recommendations formulated by the International Committee of Medical Journal Editors [Ann Int Med (1988) 108:258–265] regarding criteria for authorship. Accordingly, each person listed as an author or coauthor for a submitted report must meet *all* of *three* criteria. An author or coauthor shall have:

1. conceived, planned, and performed the work leading to the

report, or interpreted the evidence presented, or both;

written the report or reviewed successive versions and shared in their revisions;

3. approved the final version.

Meeting these criteria should provide each author sufficient knowledge of and participation in the work that he or she can accept public responsibility for the report.

Certification. In the transmittal letter accompanying a submitted manuscript, the senior or corresponding author is requested to certify that all listed authors qualify for authorship according to the above three criteria. The author(s) should also certify that: no part of the work described has been published before [except in the form of an abstract or as part of a published lecture, review, thesis, or dissertation (appropriately cited)]; that the work is not under consideration for publication elsewhere; that, if and when the manuscript is accepted for publication, the author(s) agree to automatic transfer of the copyright to the publisher; and that the manuscript, or its parts, will not be published elsewhere subsequently in any language without the consent of the copyright holders.

Copyright. (See page A2)

Retraction. The editors and publishers recognize their responsibility to promote the recording of accurate, objective and unbiased data, observations, and conclusions drawn therefrom. As a consequence, they reserve the right to publish retractions of articles which are subsequently determined to contain fraudulent data, observations, or conclusions.

Length of reports. Authors are requested not to separate fragments of a study into individual reports, but to strive to combine them for the full development of a topic. At the same time, reports should be efficient and concise. The normal length of reports accepted by *Cell and Tissue Research* is less than 20 printed pages, including figures and references. Editors will reject reports that do not meet the requirements of full development or conciseness. Authors should avoid reports published in series, but when this is necessary, such series or closely related manuscripts should be transmitted to the same editor.

Acknowledgements. All sources of financial support for the investigation being reported, including salaries, or other considerations emanating from outside and inside the institution, should be disclosed and acknowledged.

Use of animals. It is expected that appropriate humane treatment of animals shall be observed in studies reported in *Cell and Tissue Research*. The Materials and methods section should contain a description of analgesic and anesthetic procedures followed, as humane methods of maintenance and sacrifice. Authors are encouraged to cite applicable national or other standards of humane treatment which have been followed and to note review of protocol by institutional animal use committees.

2. General. Manuscripts and their accompanying illustrations must be submitted in *triplicate* to facilitate reviewing. **Text** must be *double-spaced* with wide margins throughout. Daisy-wheel or laser printer output is preferred; low-definition dot-matrix printers must not be used; poor print quality will necessitate retyping. Manuscripts must conform to the *precise format* of recent issues of the journal. *Three* accurate sets of figures must be submitted: mounted layouts of the originals and two sets of good-quality photographs (*not photocopies*). Originals will be destroyed six weeks after publication unless their return is requested. Before preparation of the figures, paragraph 15 should be read carefully.

To facilitate communication between the authors, editors and publisher, the author should furnish a telex or fax number on the title page of the manuscript.

English language. To assure the widest possible readership only manuscripts in English will be considered. Authors not entirely familiar with English usage should seek the assistance of a native English-speaking colleague. English-language editorial assistance is available when needed. However, correct style is the responsibility of the authors. Although either British or American usage is permitted, the usage in each paper must be consistent.

Review procedure. Manuscripts are normally subject to the assessments of reviewers and the editor. Manuscripts that have been extensively modified in the editorial process will be returned to the author for retyping.

Changes in proofs. A charge will be made for changes introduced after the manuscript has been set in type.

Brief accounts containing new interesting results may be published as "Short communications". They may not exceed four printed pages, including tables and figures. The figures should not occupy more than two-thirds of one printed page. The editors reserve the right to make the decision as to whether a manuscript qualifies as a "Short communication".

The text is to be arranged in the following sections: Summary; brief Introduction; Materials and methods; Results; Discussion; Acknowledgements; References; Figure legends; Tables. The text must be concise and consistent as to spelling, abbreviations etc., with *all* pages numbered consecutively. The desired position of figures and tables should be indicated in the left margin.

- **3.** The first page of the manuscript must provide: the title; name(s) of author(s); departmental and institutional affiliation(s). If there are several institutes and addresses, then the name and address to which correspondence (and proofs if this differ) should be sent must be made clear. The title should be brief and should indicate the species studied (e.g., *Phormia regina*). Subtitles are not encouraged and a numbered pair of articles "I" and "II" is acceptable only if both are submitted and accepted together.
- **4. The Summary** should not exceed 200 words, should be one paragraph and should be free of references and abbreviations.
- **5. Key words.** Immediately after the Summary, up to **seven** topical Key words must be supplied for indexing. These should be taken from the Thesaurus, published in the General Index (1988), or selected according to the same principle. After the Key words, the **names of the species** used should be listed. If more than three species were used, record here only the three most important.
- **6. Footnotes.** Those that do not refer to the title or authors should be numbered consecutively and kept to a minimum.
- **7. The introduction** (not headed) should give the pertinent background to the study and the question(s) the study seeks to answer.
- 8. Names of animals. Except for common domesticated forms, each species referred to in the manuscript must, at first mention in the text, be designated both by an accepted common name, if there is one, and the scientific name. Example: chaffinch; Fringilla coelebs. The scientific name must conform to the International Rules of Zoological Nomenclature. Authors unfamiliar with the taxonomy of the group to which a species belongs should consult an expert to ensure that it is properly identified and that the correct name is used. If there is no generally accepted specific common name, a group name may be used with the scientific name. Example: the toad (there are several species), Bufo marinus. For domesticated species common names alone may be used with indication of stock, breed, or race. Examples: Wistar white rat, white leghorn chicken; see also General Index (1988).

- **9. Hyphenation.** Compounds consisting of a noun and an adjective should be hyphenated, as in electron-microscopie examination; electron-dense granules: type-3 cell. Noun-noun compounds used as adjectives should also be hyphenated, e.g., lymph-node cells, bone-marrow lymphocytes, wing-pad bristles, guinea-pig ovidnet.
- 10. Materials and methods must give, in addition to the names of animals used (as in 7), the number of animals used, the conditions under which the animals were kept, and the anesthetic or other methods used to prevent the animal suffering unduly during the experimental procedures. For particular chemicals or equipment, the name and location of the supplier should be given in parentheses.
- **11. The Results** section should present the findings of the research, supported by statistical or illustrative validation of the assertions. *It should be free from discussion.*
- **12. The Discussion** section should cover, but not simply repeat the new findings presented in Results, setting these in context and interpreting them with a minimum of speculation.
- 13. References in the text should conform to the following examples: "Land (1975, 1976) has shown . . ." or "(Land 1975, 1976; Sandeman and Markl 1980; Hengstenberg et al. 1982)," References to "unpublished observations" are discouraged and should be used only for uncontroversial items (such as confirmation of results in another species). These observations, as well as "personal communications," should be fully attributed, giving the name and initials of the source. Authors should submit, with the manuscript, copies of "In press" or "Submitted" references for the review process.
- **14. All references** should be listed at the end of the paper as follows:
- a) Single author list alphabetically and then chronologically.
- b) Author and one coauthor list first alphabetically by coauthor, and then chronologically.
- c) First author and more than one coauthor list chronolically (not alphabetically by the second author) because only the first author's name and "et al." followed by the year of publication will be used in the text.
- d) In the event that more than one paper by the same author or team of authors published in the same year is cited, the letters a, b, c, etc., should follow the year e.g., Schwartz (1971 a) in both the text and the reference list.

References to articles in periodicals must include: names and initials of all authors, year of publication, complete title of paper, name of journal (abbreviated in accordance with *Index Medicus*), number of volume, and first and last page numbers.

References to books must include: names of authors, year of publication, full title, edition, publisher, and place of publication.

Examples:

Hansen GN, Hansen BL, Jørgensen PN (1987) Insulin-, glucagonand somatostatin-like immunoreactivity in the endocrine pancreas of the lungfish, *Neoceratodus forsteri*. Cell Tissue Res 248:181–185

Marder E (1987) Neutrotransmitters and neuromodulators. In: Selverston AI, Moulins M (eds) The crustacean stomatogastric nervous system. Springer, Berlin Heidelberg New York, pp 263–300

Sternberger LA (1986) Immunocytochemistry, 3rd edn. Wiley, New York

Articles "in press" may be cited in the reference list, but articles "submitted" or "in preparation" should not be included.
References must also be typed double-spaced.

All species and subspecies names used in the reference should be underlined to indicate italicization.

15. Illustrations. The number and size of the *illustrations* must be consistent with the minimum requirement for clarification of the text. Previously published figures cannot be accepted. Numerical data given in graphs or tables should not be repeated in the text. The journal is not subsidized in any way. Therefore, when papers have a *great number of halftone illustrations* (even though the editors agree that they are essential), it is necessary that authors and their institutions contribute to the cost of reproduction. *Color illustrations* will be accepted; however, the authors will be expected to make a contribution (DM 980.00 for the first page and DM 500.00 for each additional page) towards the extra costs. All

figures, whether layouts of micrographs, graphs, or diagrams, must be numbered consecutively and submitted on separate sheets. Each separate figure should be marked on the reverse with the figure number, author's name, and brief title. The publisher reserves the right to reduce or enlarge illustrations.

Halftone illustrations, i.e., micrographs, shaded drawings, wash drawings, earmarked for reproduction, should be submitted as sharp, glossy originals, maximally trimmed at right angles to eliminate unnecessary areas without significant information content and be of the desired final size; for color illustrations, *slides* should also be sent.

Inscriptions must be about 3 mm high and clearly visible. Letraset (or equivalent instant lettering) is recommended for lettering micrographs, including figure numbers.

Magnification should be expressed numerically (e.g., \times 700; \times 80 000) in the legend.

Calibration bars should be added to the microscopic figures. A bar gives accurate information on magnification even when illustrations are reduced or onlarged.

Wherever possible, individual micrographs should be mounted together in the form of economically arranged layouts, without necessarily taking their numerical order into consideration. Such individual figures grouped together must be separated by spaces of no more than 1 mm. If at all possible, illustrations and legends should not be placed sideways.

For technical reasons (new reproduction methods) all illustrations must be mounted on flexible white drawing paper. Thick cardboard is not acceptable.

The layouts or single figures may either match the width of the column (8,6 cm), the width of the entire page (17,8 cm) or be 12,8 cm wide with the legend at the side. The maximum lenght of the layout is 24 cm, including the legend printed at its foot. It is important that authors use the maximum possible size only to increase the information content of illustrations; large peripheral areas of figures with low information content must be avoided.

Parts of figures that require particular care in reproduction should be indicated on a *transparent overlay* with a soft pencil.

Stereo illustrations. Authors who wish to submit stereo illustrations should refer to the detailed instructions printed in previous issues of the journal (see, e.g., Vol. 266, No. 3, 1991) or consult one of the editors.


Line drawings should be submitted as *good-quality prints*. The letters should be 2 mm high in the printed version. The inscriptions should be clearly legible. If reduction is necessary, the scale desired should be stated.

- 16. Legends must be concise and should provide a brief, self-sufficient explanation of the illustrations. Avoid remarks like: "For explanation, see text". In the manuscript, legends should be typed on a new page after the References. If the magnification is quoted in a sentence, it should appear in parentheses, e.g. (\times 500); at the end of the legend it should appear, e.g. "... cytoskeleton. \times 41 000." The length of calibration bars should be given, e.g. Bar: 1.0 μ m. Explanation of labels on illustrations should be given either as "... with Reissner's fiber (RF)" or "RF Reissner's fiber." Please underline "arrows," "arrowheads," and "asterisk" when these words appear in a legend.
- **17. Tables** must be numbered consecutively in *arabic* numerals. Each table must be typed on a separate sheet. The head of each table should provide a brief, self-sufficient explanation of its contents.
- **18. Mailing.** Manuscripts and illustrations should be *well packed* to avoid damage in transit.
- **19. Offprints** can be ordered at cost price provided the order is received with the corrected proof.



Springer International

Aspects of Physiology



J. Bligh, Institute of Animal Physiology and Genetics Research, Cambridge; K. Voigt, University of Marburg (Eds.)

Thermoreception and Temperature Regulation

Co-Eds.: H. A. Braun, K. Brück, G. Heldmaier 1990. IX, 306 pp. 137 figs. 3 tabs. Hardcover DM 118,- ISBN 3-540-51711-1

G.A. Bubenik, University of Guelph, Ont.; A. B. Bubenik, Thornhill, Ont. (Eds.)

Horns, Pronghorns, and Antlers

Evolution, Morphology, Physiology, and Social Significance 1990. XII, 562 pp. 204 figs. Hardcover DM 188,- ISBN 3-540-97176-9

C. Eyzaguirre, S. J. Fidone, R. S. Fitzgerald, S. Lahiri, D. M. McDonald (Eds.)

Arterial Chemoreception

1990. XXII, 475 pp. 106 figs. Hardcover DM 138,- ISBN 3-540-97225-0

B. Kramer, University of Regensburg

Electrocommunication in Teleost Fishes

Behavior and Experiments

1990. XII, 240 pp. 140 figs. 12 tabs. (Zoophysiology, Vol. 29) Hardcover DM 198,–ISBN 3-540-51927-0

M. Nikinmaa, University of Helsinki

Vertebrate Red Blood Cells

Adaptations of Function to Respiratory Requirements

1990. XII, 262 pp. 47 figs. (Zoophysiology, Vol. 28) Hardcover DM 198,–ISBN 3-540-51590-9

G. di Prisco, Institute of Protein Biochemistry and Enzymology (IBPE), Naples (Ed.)

Life Under Extreme Conditions

Biochemical Adaptation

1991. XI, 144 pp. 43 figs. 11 tabs. Hardcover DM 108,- ISBN 3-540-53108-4

M. Wada, University of Tokyo; S. Ishii, Waseda University, Tokyo; C. G. Scanes, Rutgers University, New Brunswick, NJ (Eds.)

Endocrinology of Birds

Molecular to Behavioral

1990. X, 320 pp. 110 figs. 12 tabs. Hardcover DM 158,-ISBN 3-540-52351-0

Jointly published by Springer-Verlag and Japan Scientific Societies Press, Tokyo

Distribution rights for Japan: Japan Scientific Societies Press, Tokyo

R.T. Wilson, Umberleigh, North Devon


Ecophysiology of the Camelidae and Desert Ruminants

1989. X, 120 pp. 37 figs. (Adaptations of Desert Organisms) Hardcover DM 106,- ISBN 3-540-50806-6





□ Heidelberger Platz 3, W-1000 Berlin 33, F.R. Germany □ 175 Fifth Ave., New York, NY 10010, USA □ 8 Alexandra Rd., London SW19 7JZ, England □ 26, rue des Carmes, F-75005 Paris, France □ 37-3, Hongo 3-chome, Bunkyo-ku, Tokyo 113, Japan □ Room 701, Mirror Tower, 61 Mody Road, Tsimshatsui, Kowloon, Hong Kong □ Avinguda Diagonal, 468-4°C, F-08006 Barcelona, Spain □ Wesselényi u. 28, H-1075 Budapest, Hungary



Series G: Ecological Sciences

Volume 24

J. Blondel, A. Gosler, J.-D. Lebreton, R. McCleery (Eds.)

Population Biology of Passerine Birds

An Integrated Approach

1991. XVII, 496 pp. 116 figs. 109 tabs. Hardcover DM 236,-ISBN 3-540-51759-6

Population Biology of Passerine Birds is an up-to-date synthesis of the most recent developments in its field, especially in the framework of modern life history theories. Major topics include quantitative genetics, ecological physiology, the study of social structures using individually marked birds in the wild, and finally biometry, which allows to quantify such important parameters as survival at different stages of life and to create a model of the overall demography of the populations.

Volume 25

P. C. Reid, C. M. Turley, P. H. Burkill, Plymouth Marine Lab., Plymouth (Eds.)

Protozoa and Their Role in Marine Processes

1991. X, 506 pp. 74 figs. 34 tabs. Hardcover DM 298,-ISBN 3-540-18565-8

The volume evaluates the ecological role of protozoa in the sea. The major points of discussion are the role of protozoa in the microbial food web, in the cycling of carbon and nitrogen and the extent to which this web acts as a link or sink to metazoa in the water column.

The following topics are covered: Taxonomy - Methods - Pollution - Symbiosis - Autecology - Trophic Behaviour - Community Grazing - Energetics and Production - Marine "Snow" and "Fluff" - Mineral Flux - Nutrient Cycling - Modelling.

Series H: Cell Biology

Volume 48

D. Pansu, École Pratique des Hautes Études and INSERM, Lyon; **F. Bronner**, University of Connecticut, Farmington, CT (Eds.)

Calcium Transport and Intracellular Calcium Homeostasis

1991. XXII, 434 pp. 116 figs. 29 tabs. Hardcover DM 198,-ISBN 3-540-51778-2

Calcium plays an essential role in various physiological functions. This study assembles current information on the mechanisms involved in intracellular calcium regulation of interest to biochemists and molecular biologists. Physicians and pharmacologists will also find new useful information as defects in calcium transport play a role in various disorders.

Volume 49

J.E.G.McCarthy, Gesellschaft für Biotechnologische Forschung, Braunschweig; M.F.Tuite, University of Kent, Canterbury (Eds.)

Post-Transcriptional Control of Gene Expression

1991. XIX, 652 pp. 204 figs. 46 tabs. Hardcover DM 298,-ISBN 3-540-51774-X

The book summarizes the latest results on the regulation of the gene expression which are interesting for molecular biologists as well as for biotechnologists.



□ Heidelberger Platz 3, W-1000 Berlin 33, F. R. Germany □ 175 Fifth Ave., New York, NY 10010, USA □ 8 Alexandra Rd., London SW19 7JZ, England □ 26, rue des Carmes, F-75005 Paris, France □ 37-3, Hongo 3-chome, Bunkyo-ku, Tokyo 113, Japan □ Room 701, Mirror Tower, 61 Mody Road, Tsimshatsui, Kowloon, Hong Kong □ Avinguda Diagonal, 468-4°C, E-08006 Barcelona, Spain □ Wesselényi u. 28, H-1075 Budapest, Hungary